



## CERTIFICATE OF ANALYSIS

|                                            |                                                                                  |
|--------------------------------------------|----------------------------------------------------------------------------------|
| Product Name                               | %5 Sheep Blood Agar / EMB Agar                                                   |
| Catalogue No                               | 03003                                                                            |
| Batch No                                   | 2303009                                                                          |
| Dehydrated Brand / Batch No / Expiry Date  | CBA: Oxoid/3554393/10-2027<br>Eosin Methylene Blue Agar: Oxoid / 3573330/11-2027 |
| Neutralizer Brand / Batch No / Expiry Date | -                                                                                |
| Production Date                            | 03.03.2023                                                                       |
| Expiry Date                                | 03.06.2023                                                                       |
| Storage Conditions                         | 2-12°C                                                                           |

### Physical & Chemical Specifications

|            |                                     |             |
|------------|-------------------------------------|-------------|
| Appearance | Must have a smooth surface          | Appropriate |
| Color      | Red / Reddish purple                | Appropriate |
| pH         | 7,4 ± 0,2(Blood Agar) -6,8±0,2(EMB) | 7,43 / 6,81 |

### Microbiological Specifications

| Method of control: Counting Method    | Inoculum: (+ control 10-100 cfu, - control 100 - 1000 cfu) |                    |                    | Incubation: 30-35 °C: 24-48h |             |
|---------------------------------------|------------------------------------------------------------|--------------------|--------------------|------------------------------|-------------|
| Sterility                             | Incubation: (30-35°C : 4d)                                 |                    |                    | Sterile                      |             |
| QC Strains                            | ATCC                                                       | Results            |                    |                              |             |
|                                       |                                                            | Recovery           |                    | Growth                       |             |
| Escherichia coli (Blood Agar)         | 25922                                                      | 73                 | 72                 | Good (γ hemolysis)           | Appropriate |
| Staphylococcus aureus (Blood Agar)    | 25923                                                      | 73                 | 73                 | Good (β hemolysis)           | Appropriate |
| Staphylococcus pyogenes (Blood Agar)  | 19615                                                      | 74                 | 74                 | Good (β hemolysis)           | Appropriate |
| Staphylococcus pneumonia (Blood Agar) | 6305                                                       | 75                 | 74                 | Good (α hemolysis)           | Appropriate |
| Escherichia coli (EMB Agar)           | 25922                                                      | 74                 | 73                 | Green metallic shine         | Appropriate |
| Salmonella typhimurium (EMB Agar)     | 14028                                                      | 73                 | 74                 | Good                         | Appropriate |
| Enterococcus faecalis (EMB Agar)      | 29212                                                      | Partial Inhibition | Partial Inhibition | Partial Inhibition           | Appropriate |
| Staphylococcus aureus (EMB Agar)      | 25923                                                      | Partial Inhibition | Partial Inhibition | Partial Inhibition           | Appropriate |

### Acceptance Criteria: %50-200

|            |            |
|------------|------------|
| QC Date    | 10.03.2023 |
| QC Manager | Ali ARAS   |

This document has been prepared electronically.

BİOCELL BİYOLOJİK VE TIBBİ ÜRÜNLER SAN. TİC. LTD. ŞTİ.  
Kaynarca Mahallesi Çeşni sokak No : 5/2 Pendik / İstanbul / TURKEY  
Telefon:0216 354 90 54 E-mail: [info@bio-cell.net](mailto:info@bio-cell.net)